



Class AB Advanced Bluetooth Tube Amplifier

AMP-T100



Aesthetic Design
Combined with Excellent Sound Performance



World Compatible Power Options

AMP-T100

Bluetooth Tube Amplifier

Tubes are considered the sonically superior technology for audio, due to their generally simpler circuits and smaller number of components providing a purer signal path and ultimately more accurate signal handling. Fewer components provide for fewer elements in a circuit to degrade the signal, distort and muddle the sound.

SPECIFICATIONS

- Output Power: 2x25W
- Total Harmonic Distortion: $\leq 0.02\%$
- Signal-to-Noise Ratio (dB): $\geq 86\text{dB}$
- Frequency Response ($\pm 3\text{dB}$): 25Hz - 20kHz
- Input Impedance(ohm): 47
- Output Impedance(ohm): 4 - 8
- Product Dimensions(mm): 270x260x130 (10.6"x10.2"x5.1")*
- Product Weight: 3kg/6.6lbs

*Dimensions Key: (Width/Diameter)x(Depth)x(Height)

FEATURES

Tube Audio

Vacuum tubes offer increased warmth and depth to the audio listening experience. Two 6N1 combined with two 6P1 tubes provides a smooth yet powerfully clean 2 x 25 watts.



Input, Selection, and Controls

Bluetooth, USB, RCA line inputs, Headphone Out, Analog Wattage Meter with separate bass and treble control.



“Caged” Tube Design

Offers protection to the tubes and visual ambience to your audio system.



Ningbo Lumiaudio Electronic Technology Ltd.

a Lumi Legend Group company

Add:22/F., Building 1, Lisi Plaza, Huifeng East Road,
Ningbo, China 315100

Tel: 86-574-28938920
Fax: 86-574-27956598

E-mail: info@lumiaudio.cn
Website: www.lumiaudio.cn