



AMP-1
Features Video

Commercial Grade Mini Power Amplifier

- Compact design! Suitable for various applications including retail, education, conference rooms, and commercial installations – even DIY projects.
- Separate Bass and Treble for customized listening experience.
- Heavy-duty steel case with mounting tabs allows the amplifier to be installed virtually anywhere.

Model: AMP-1

Commercial Mini Power Amplifier



Mountable, steel enclosure with high grade components for increased operational life.

Easy-access front panel controls



Phoenix-Type Connectors



Adaptor is Optional

AMP-1

Output Power(Rated)	2x25W
Output Power(Max)	2x40W
Audio Input	Balanced and AUX
AUX(Input Impedance/Sensitivity)	47KΩ/1V
Speaker Output	8Ω
Frequency Response	30Hz-18kHz/±3dB
EQ Contour (Bass)	±10db/25Hz-160Hz/(Center Frequency 60Hz)
EQ Contour(Treble)	±10db/4kHz-18kHz/(Center Frequency 10kHz)
Dimensions	158 (L) × 110 (W) × 32(H) mm



Ningbo Lumiaudio Electronic Technology Ltd.

a Lumi Legend Group company

Add: 22/F., Building 1, Lisi Plaza, Huifeng East Road,
Ningbo, China 315100

Tel: 86-574-28938920
Fax: 86-574-27956598

E-mail: info@lumiaudio.cn
Website: www.lumiaudio.cn